

Ship Oct 05


Work Order ID 137398

137398

Page 1

Monday, September 28, 2015 10:51:19 AM

Item ID: DSI 9052-013 Accept *N9000040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Quick Release Pip Pin
 Start Date: 9/28/15 Start Qty: 3.00 *3* Cust Item ID:
 Required Date: 9/30/15 Req'd Qty: 3.00 *3* Customer:
 Reference:

Approvals: Process Plan:  Date: 15-9-28 Tooling: Date: Run Start *NR1*
 QC: Date: SPC (Y/N): Date: Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
DSI 9052	E								
100	Document Control	0.00							
100	DOCUMENT CONTROL								
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile & type labels per PPP 9052-013 CHG001								
110	Pick Kit	0.00							
110									
Packaging	Memo	0.00							
Packaging									
120	QC4- 100% Inspect kits for completeness	0.00							
120									
QC	Memo	0.00							
Quality Control									

MLS 1509-30 3
 DAS 02 9-89
 SEP 30 2015

3X
 DAS 27 9-89
 SEP 30 2015

DAS 02 9-89

DAS 02 9-89

SEP 30 2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Monday, September 28, 2015 10:51:19 AM

137398

Page 2

Accept

N900040100

Setup Start *NS1*

Stop *NS2*

Start Date: 9/28/15 **Start Qty:** 3.00 ***3***

Cust Item ID:

Required Date: 9/30/15 Req'd Qty: 3.00 **

Customer:

Reference:

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____
QC: _____ **Date:** _____ **SPC (Y/N):** _____ **Date:** _____

Run	Start	*NR1*
	Stop	*NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

130

0.00

130

Packaging

0.00

Packaging

Memo

Packaging

Identify and pack for shipping as per PPP D9052-013 Location: *Box 123*

SEP 30 2015

140

QC21- Final Inspection - Work Order Release	0.00
---	------

140

OC

Memo

0.00

Quality Control

ms OCT 01 2015

ML5 OCT 01 2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : ☐							
Misidentified ☐	Past Due ☐								

Picklist Print

Monday, September 28, 2015 10:51:23 AM

Page 1

Work Order ID: 137398

137398

Parent Item: DSI 9052-013

DSI 9052-013

Parent Item Name: Quick Release Pip Pin

Start Date: 9/28/15

Required Date: 9/30/15

Start Qty: 3.00

Required Qty: 3.00

Comments: IPP Rev:A02.05.15New IssueNG

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
BLRS-010		Purchased	No			110	Each	26.0000	1	3			

RI RS-010

Quick Release Pin (1/4" x 1")
DAS 02 9-89

**

DAS
27
9-89

DAS
6
9-89

Location	Loc Qty	Loc Code
FG	4	
121374	4	
ST550	22	
m132518	10	
m132935	12	

BLRS-020

Purchased

No

110

Each

14.0000

3

9

RI RS-020

Quick Release Pin (1/4" x 1.5")

DAS
02
9-89

**

Location	Loc Qty	Loc Code
FG	4	
122168	4	
ST550	10	
m132995	10	

DAS
27
9-89

DAS
6
9-89

SEP 30 2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval				
Description Work Order Deviation				Disposition							
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐		☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter		☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes		☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center		☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence	
OTHER : ☐											

Ship Oct 05

Work Order ID 137398

Monday, September 28, 2015 10:51:19 AM

137398

Page 1

Item ID: DSI 9052-013

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Quick Release Pip Pin

Start Date: 9/28/15

Start Qty: 3.00

3

Cust Item ID:

Required Date: 9/30/15

Req'd Qty: 3.00

3

Customer:

Reference:

Approvals:

Process Plan:

Date: 15-9-28

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
DSI 9052	E								
100	Document Control	0.00							
100	DOCUMENT CONTROL								
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile & type labels per PPP 9052-013 CHG001								
110	Pick Kit	0.00							
110									
Packaging	Memo	0.00							
Packaging									
120	QC4- 100% Inspect kits for completeness	0.00							
120									
QC	Memo	0.00							
Quality Control									

ML5 SEP 30 2015

3

3X

27

SEP 30 2015

DAS
02
9-89

REFERENCE ONLY

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS D350-607 REV. F OR LATER REV.

(REF. CANADIAN STC: SH94-14, REF. FAA STC: SR00213NY)

AND TO AMEND INSTALLATION DRAWING D350-602 REV. E OR LATER REV.

(REF. CANADIAN STC: SH93-97, REF. FAA STC: SR01144NY)

PURPOSE: TO ALLOW SUBSTITUTION OF THE BASKET/ POD ATTACHMENT BOLTS WITH QUICK RELEASE PINS

THE AN4-12A / AN4-15A / AN4-16A BOLTS USED ON D2230-1 CLAMPS MAY BE REPLACED WITH STAINLESS STEEL POSITIVE LOCKING QUICK RELEASE PINS WITH A MINIMUM DOUBLE SHEAR STRENGTH OF 2400 LBS AND 0.25 INCH DIAMETER.

BOLT	MIN GRIP	POSSIBLE QUICK RELEASE PIN REPLACEMENT
AN4-12A	1.0"	AVIBANK: BLC4B10S, BLC4TA10S, BLC4R10S, BLC4LA10S MS NUMBER: MS17984C410, MS17985C410, MS17986C410, MS17987C410 REID: BLRS-010, BLBS-010
AN4-15A / AN4-16A	1.3"	AVIBANK: BLC4B13S, BLC4TA13S, BLC4R13S, BLC4LA13S MS NUMBER: MS17984C413, MS17985C413, MS17986C413, MS17987C413 REID: BLRS-020, BLBS-020


THE FOLLOWING OPTIONAL KITS ARE AVAILABLE FROM DART TO PROVIDE QUICK RELEASE CAPABILITY. DART HELI-UTILITY-BASKETS™ D350-607-041 @ CHG 008, D350-607-043 @ CHG 005, D350-607-045 @ CHG 003, D350-607-047 @ CHG 003, OR LATER CHANGE NUMBERS, OR KITS MODIFIED PER SERVICE INSTRUCTION DSI 9342 USE AN4-15A BOLTS AND SHOULD PURCHASE THE DSI-9052-013 KIT. EARLIER CHANGE NUMBERS THAT HAVE NOT BEEN MODIFIED PER SERVICE INSTRUCTION DSI 9342 USE AN4-12A BOLTS AND SHOULD PURCHASE THE DSI-9052-011 KIT.

QTY -011	QTY -013	PART NUMBER	DESCRIPTION
X		DSI-9052-011	QUICK RELEASE KIT, FOR D350-607-041 (CHG ≤007) / -043 (CHG ≤004) / -045 (CHG ≤002) / -047 (CHG ≤002)
	X	DSI-9052-013	QUICK RELEASE KIT, FOR D350-602-011/-013/-014 & D350-607-041 (CHG 008) / -043 (CHG 005) / -045 (CHG 003) / -047 (CHG 003)
4	1	BLRS-010	QUICK RELEASE PIN (1.0" GRIP)
	3	BLRS-020	QUICK RELEASE PIN (1.5" GRIP)

IT IS ACCEPTABLE TO LEAVE THE D2230-1/-3 CLAMPS INSTALLED ON THE CROSSTUBES WHEN THE BASKET OR POD IS REMOVED. WEIGHT & BALANCE, FOR CLAMPS ONLY, IS 1.8lb (0.82kg) @ STA 135in (3.43m) & BL ±36in (±0.91m).

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 09.06.23
CERT. NO.: SH94-14 / SH93-97
ISSUE NO.: 4 / 4

E	-013 KIT NOW APPLICABLE TO NEW D350-607 KITS	CP	09.06.23
D	ADD CLAMPS ONLY NOTE	KJ	04.03.23
C	ADD DSI 9052-013	CP	03.12.11
B	ADD PART NUMBERS	BW	96.11.13
A	NEW ISSUE	MM	96.11.04
REV.	DESCRIPTION	BY	DATE
DESIGN	MM	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. E
MFG. APPR.	N/A	DSI 9052	SHEET 1 OF 1
APPROVED		TITLE	SCALE
DE APPR.		QUICK PIN REPLACEMENT	NTS
DATE	09.06.23	COPYRIGHT © 1996 BY DART AEROSPACE LTD : THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	